CLAIMS

What is claimed is:

1. A system for transmitting a sequence of data blocks from a transmitter to a receiver, the system comprising:

a plurality of transmit processors for transmitting the sequence of data blocks, each data block including an identification of the transmit processor that transmits the data block;

a scheduler for assigning each data block to the transmit processor that is released most recently from transmission;

a plurality of receive processors for receiving the transmitted data blocks; and

a reordering processor for reordering the received data blocks into the sequence;

whereby an error in transmission of a data block is detected using said identification.

- 2. The system of claim 1 wherein a receive processor transmits an acknowledgement when a data block is received without error, thereby releasing the corresponding transmit processor for transmission of the next data block.
- 3. The system of claim 1 wherein a sequence number of the data block is transmitted to the receive processor.
- 4. The system of claim 3 wherein said error is detected when a sequence number is missing.
- 5. The system of claim 1 wherein said identification is a tag attached to the data block.

- 6. The system of claim 1 wherein said identification is transmitted separately from the data block.
- 7. A method for transmitting a sequence of data blocks from a transmitter to a receiver, the method comprising the steps of:

assigning a data block to a transmit processor that is released most recently from transmission;

transmitting the data block by the assigned transmit processor with an identification of the transmit processor that transmits the data block;

receiving the transmitted data block by a receive processor;
reordering the received data blocks into the sequence; and,
detecting an error in transmission of a data block using said
identification.

- 8. The method of claim 7 further comprising the step of assigning a sequence number to each data block.
- 9. The method of claim 8 wherein said error is detected when a sequence number is missing.
- 10. The method of claim 7 further comprising the step of sending an acknowledgement to a transmit processor when the receive processor receives a data block without error, whereby the corresponding transmit processor is released for transmission of the next data block.
- 11. The method of claim 7 wherein said identification is transmitted separately from said data block.

12. The method of claim 7 wherein said identification is a tag attached to the data block.